



**J. N. GOVT. ENGINEERING COLLEGE
SUNDERNAGAR HIMACHAL PRADESH**

Telephones: 01907-267199, 267688

Website: www.jngec.ac.in, E-mail: jngechp@yahoo.co.in

No. GEC/SNR/Civil/HFC/66/2023/-5143

Dated: -11/09/2025

Limited Tender Notice

Sub: Limited Tender for Procurement of Items for setting up of Housing Facilitation Center (HFC)

This institute intends to procure some items for setting up of HFC in this institute. You are therefore requested to quote your lowest rates for supply of these items in two separate sealed envelopes; one for Technical Bid (including EMD) and other for Financial Bid to reach in the office of undersigned on or before **06/10/2025** by 4:00 PM. The Technical bid shall be opened on **08/10/2025** at 11:00 AM and the financial bid of only technically qualified bidders shall be opened on **09/10/2025** at 11:00 AM in the presence of the bidder or their authorized representative who wishes to be present. The financial bids of only those bidders shall be opened who qualify technically. The terms and conditions are attached in the form of Annexure-1 with this letter.

Tender Cost: Rs 300/- (Rs. Three Hundred only) (Non refundable)

Earnest Money Deposit (EMD): Rs. 10000/- (Rs. Ten Thousands only) (Refundable).

Sr.No	Name of Item with detailed specifications	Qty.to be precured
1	Shake Table Shake Table with a model of a one-story frame model, small, four-storey frames with stiffeners -soft storey model, and a control system that includes a digital display and displacement sensors. Piezoelectric sensor Earthquake Detection, Vibration Monitoring. Shake tables can range from small (e.g., 0.5m x 0.5m) or above Payload Capacity: The maximum weight the table can safely handle. Capacities can range from a few hundred kilograms. Acceleration: Shake tables can achieve various acceleration levels, typically measured in g's. Frequency Range: This indicates the range of frequencies the table can simulate, often up to 50Hz or even higher, depending on the application. Degrees of Freedom (DOF): shake tables offer 1 DOF (linear motion in one direction) or shake tables offer 1 DOF (vertical direction) Actuators: These are the mechanisms that move the table. They can be hydraulic, electric, or a combination. Control System: A sophisticated control system with a digital display is essential for accurate and repeatable testing. This includes digital signal processors and displacement sensors. Earthquake sensor, vibration monitoring sensor, and piezoelectric sensor Safety Features: Overload protection, emergency stops, and other safety mechanisms are crucial for safe operation	01
2	Building Models (i) Masonry Buildings with Bands -:	1 each

	Masonry buildings with bands, specifically lintel, plinth, and roof bands, are constructed to enhance structural integrity and earthquake resistance	
	(ii) Confined Masonry with confining Column-: A construction technique that combines traditional masonry walls with reinforced concrete columns and beams to enhance seismic resistance	
	(iii) RCC Beam Column Slab Joint detail-: A Beam-Column Slab Joint in Reinforced Concrete (RCC) is a crucial connection point where beams, columns, and slabs intersect in a building's structural frame	
	(iv) Slab Only	
	(v) Beam Cantilever Slab	
	(vi) Steel Frame with Puff panel	
	(vii) LSGF Technology	
	(viii) Kath Kunni	
	(ix) Dhaji Diwari	
	(x) Thatra	

-sd-

Director-cum-Principal
JNGEC Sundernagar
Mandi (HP): 175018

Terms & Conditions:

- 1 **Technical Bid & Financial Bid shall be submitted in separate sealed envelopes. The word 'Technical Bid' or 'Financial Bid' should be written on the outer sealed envelope. Both bids should be further enclosed in the outer sealed bigger envelope and the words 'Limited Tender for Setting up of HFC at Jawaharlal Nehru Govt. Engineering College Sundernagar, Distt. Mandi (H.P.)' must be written on the top of the outer envelope.**
- 2 Financial bids of only Technically qualified bidders will be opened.
- 3 Pre-dispatch inspection may be carried out (if deemed fit by inspection committee) at the cost of the successful bidder at his premises if necessary.
- 4 **The firm should have valid GST and PAN, copies of which should be enclosed.**
- 5 **All Tenders/bids must be accompanied with an Tender Cost of Rs 300/- (Rs. Three Hundred only) (Non refundable) and Earnest Money Deposit (EMD) amounting to Rs. 10000/- (Rs. Ten Thousands only) (Refundable).** The Tender Cost shall be in the form of DD from any nationalized bank in favour of Director-cum-Principal, J. N. Govt. Engg. College, Sundernagar, Distt. Mandi (H.P.) Pin- 175018 and EMD shall be attached in the shape of Accounts Payee duly pledged fixed Deposit Receipts in the favour of Director-cum-Principal, Jawaharlal Nehru Govt. Engineering College Sundernagar, Distt. Mandi (H.P.)
- 6 The Tenders/Bids not accompanied by tender Cost and EMD or incomplete in any respect will be rejected outrightly.
- 7 The successful supplier has to furnish the performance security at the rate of 5% of the contract value in the form of account payees duly pledged fixed deposit receipts drawn in the favour of the **Director-Cum-Principal, Jawaharlal Nehru Govt. Engineering College Sundernagar, Distt. Mandi (H.P.)**
- 8 The offer shall be inclusive of all taxes, commissioning, installation and training whenever required.
- 9 If felt necessary, the undersigned may ask for a demonstration/training of the machinery/equipment at supplier's cost.
- 10 A certificate to this effect that you are the manufacturer of the equipment/Authorized distributor for the manufacturer must be submitted and attached in the Technical bid.
- 11 The Tender/Bids will be opened on the date and time as mentioned in the tender document and in the presence of bidders if they wish to be present. However, undersigned reserved the right to change the date, time and venue of the receipt of the tender without assigning any reason.
- 12 Conditional Tenders/Bids and Tender/Bids not submitted on the prescribed tender form are liable to be rejected.
- 13 The quantity of items can be increased or decreased before placing the order.
- 14 The supply order shall be issued to the eligible bidder on the availability of funds.
- 15 100% payment will be released within one month after the satisfactory installation/testing of machinery & equipments in the concerned lab/center.
- 16 **The Warranty/Guarantee shall be effective for the period of at least 36 months from the date of the actual installation of Machinery/Equipments at the actual location of the lab.**
- 17 Director-cum-Principal reserves the right to accept or reject all or any of the bids received without assigning any reason thereof.
- 18 Limited tender received in open condition after due date & time will be summarily rejected.
- 19 It will be presumed that all the above conditions are acceptable to the bidders applying through the limited tender.
- 20 If the date of opening the tender/quotation happens to be holiday, the tenders/quotation will be opened on the next working day at the same time.
- 21 Tenders/quotations received through mail, telegraph, fax, conditional tenders/quotation and without Earnest Money shall not be accepted.
- 22 Director-cum-Principal may also appoint a 'Negotiation Committee' if required.
- 23 The bidder will be responsible for damage or loss in transit and goods broken within 30 days from the date of notice thereof.
- 24 The bidder/supplier shall submit undertaking stating that their firm is not blacklisted by any Central/ State Government/ agency of Central/ State Government of India or any other country in the world/ Public Sector Undertaking/ any Regulatory Authorities in India or any other country in the world for any kind of fraudulent activities.
- 25 The bidder/supplier shall submit undertaking stating that the prices quoted Vide Quotation No. _____ dated: _____ against Tender No: _____

dated: _____ for (name of item) are best and minimum and we have not quoted the same on lesser rates than those being offered to any customer nor we will do till the validity of offer or execution of Purchase Order.

- 26 The rate quoted shall be inclusive of GST and any other tax and no future increase in rate will be allowed. The gross total value wise evaluation will be done.
- 27 The bidder has to attach the supporting documents/catalogues for all the quoted items.
- 28 The bidders should strictly quote the items according to the specifications mentioned in the tender document. Any deviation from the required specifications shall not be accepted.
- 29 The complete bid should reach in the office of the undersigned on or before the due date and time.
- 30 **The bid should accompany ITR of previous 3 financial years.**
- 31 **The bidder should attach copy of the supply order of similar type of items from any 2 reputed govt. institutes.**
- 32 The bid offered by the bidders must be valid for six months from the date of opening the tenders.
- 33 **The bidders must stamp and sign each paper submitted along with their bids.**
- 34 The rates quoted should be F.O.R. destination at **Jawaharlal Nehru Govt. Engineering College Sundernagar, Distt. Mandi (H.P.)**.
- 35 All disputes shall be settled within the jurisdiction of Session Court, Sundernagar Mandi (H.P).

Check List of Documents to be attached with Technical Bid :

- 1 GST
- 2 PAN
- 3 Tender Cost of Rs 300/-
- 4 EMD amounting to Rs. 10000/-
- 5 Certificate of OEM or authorised distributorship
- 6 Supporting documents/catalogues for all the quoted items
- 7 ITR of previous 3 financial years
- 8 Copy of the supply order of similar type of items from any 2 reputed govt. institutes.
- 9 Non-Blacklisting undertaking
- 10 Price resonabilty undertaking

.....

(Stamp and Sig. of the firm/proprietor for accepting above terms and conditions)

(On the letter head of the Firm)
PERFORMA FOR APPLICATION

Personal Information:

Sr. No.	Particulars	Detail
1.	Name of Vendor/Service Provider/Agency/Firm	
2.	Complete Address	
3.	Date of Registration of Firm	
4.	PAN Number	
5.	GST Number	
6.	OEM or authorized distributorship of specific brands (specify detail and attach relevant certificate)	
7.	Email id and Mobile Number	
8.	Other Information (if any)	
9.	Tender Cost Detail	
10.	Earnest Money Deposit Detail	
11.	Copy of the supply order of similar type of items from any govt. institutes (enclosed/not-enclosed)	
12.	Supporting documents/catalogues for all the quoted items (enclosed/not-enclosed)	
13.	ITR of previous 3 financial years (enclosed/not-enclosed)	
14.	Non-Blacklisting undertaking (enclosed/not-enclosed)	
15.	Price reasonability undertaking (enclosed/not-enclosed)	

Signature of the vendor with stamp /seal

Check List of Documents to be attached with Technical Bid:

- 1** PAN
- 2** GST
- 3** Tender Cost of Rs 300/-
- 4** EMD amounting to Rs. 10000/-
- 5** Certificate of OEM or authorised distributorship
- 6** Copy of the supply order of similar type of items from any 2 reputed govt. institutes.
- 7** Supporting documents/catalogues for all the quoted items
- 8** ITR of previous 3 financial years
- 9** Non-Blacklisting undertaking
- 10** Price resonabilty undertaking

Performa for Financial Bid
(On Tenderer's Letter Head)

Sr.No	Name of Item with detailed specifications	Qty.to be precured	Rate per Unit (Including GST and other taxes)
1	Shake Table Shake Table with a model of a one-story frame model, small, four-storey frames with stiffeners -soft storey model, and a control system that includes a digital display and displacement sensors. Piezoelectric sensor Earthquake Detection, Vibration Monitoring. Shake tables can range from small (e.g., 0.5m x 0.5m) or above Payload Capacity: The maximum weight the table can safely handle. Capacities can range from a few hundred kilograms. Acceleration: Shake tables can achieve various acceleration levels, typically measured in g's. Frequency Range: This indicates the range of frequencies the table can simulate, often up to 50Hz or even higher, depending on the application. Degrees of Freedom (DOF): shake tables offer 1 DOF (linear motion in one direction) or shake tables offer 1 DOF (vertical direction) Actuators: These are the mechanisms that move the table. They can be hydraulic, electric, or a combination. Control System: A sophisticated control system with a digital display is essential for accurate and repeatable testing. This includes digital signal processors and displacement sensors. Earthquake sensor, vibration monitoring sensor, and piezoelectric sensor Safety Features: Overload protection, emergency stops, and other safety mechanisms are crucial for safe operation	01	
2	Building Models (i) Masonry Buildings with Bands -: Masonry buildings with bands, specifically lintel, plinth, and roof bands, are constructed to enhance structural integrity and earthquake resistance (ii) Confined Masonry with confining Column-: A construction technique that combines traditional masonry walls with reinforced concrete columns and beams to enhance seismic resistance (iii) RCC Beam Column Slab Joint detail-: A Beam-Column Slab Joint in Reinforced Concrete (RCC) is a crucial connection point where beams, columns, and slabs intersect in a building's structural frame (iv) Slab Only (v) Beam Cantilever Slab (vi) Steel Frame with Puff panel (vii) LSGF Technology (viii) Kath Kunni (ix) Dhaji Diwari (x) Thatra	1 each	
Total Price Quoted (Including GST and other taxes)			

Signature of the vendor with stamp /seal
Name of proprietor:
Name of the firm:
Address and Phone No: